Fisheries and Oceans Canada
Pêches et Océans Canada

# Quebec Marine Fisheries

## Monthly Landing Statistics by Species

## JUNE 2003

Canada

103-06583/

# Quebec Marine Fisheries

## Monthly Landing Statistics by Species

## June 2003

Statistics Service
Fisheries Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

August 21 th, 2003

Published by:

Statistics Service
Fisheries Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

@Minister of Supply and Services
Canada 2003
Catalog No Es 2-8/2003-06E
ISSN 1187-7693

Correct citation for this publication:

Department of Fisheries and Oceans. 2003. Quebec Marine Fisheries - Monthly Landing Statistics by Species, June 2003, 59 p.
Copie française disponible

This document is published eight times a year,
from May to December inclusively

Legend:

| | |
|---|---|
| * | Less than half of the smallest unit used. |
| - | Nil |
| # | Because there are less than three buyers involved in this fishery, these data are confidential and cannot be published. |
| N/A | Not Applicable |
| N/AV | Not Available |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 229 | 248 | 345 | 364 | 2 | 2 | 2 | 3 | - 99 | - 99 |
| Haddock | * | * | * | * | * | * | * | * | 29 | 21 |
| Redfish | 31 | 22 | 32 | 22 | 13 | 10 | 13 | 10 | - 59 | - 55 |
| Atlantic halibut | 48 | 248 | 93 | 484 | 17 | 100 | 21 | 119 | - 78 | - 75 |
| American plaice | 16 | 15 | 33 | 27 | 7 | 6 | 13 | 10 | - 62 | - 63 |
| Greysole (Witch) | 1 | 1 | 1 | 1 | * | * | * | * | - 99 | - 98 |
| Winter flounder | 38 | 21 | 95 | 58 | 64 | 44 | 134 | 98 | 41 | 70 |
| Greenland halibut | 64 | 148 | 116 | 268 | 567 | 1 057 | 971 | 1 888 | 734 | 604 |
| Unspecified flounders | * | - | 2 | - | - | - | - | - | N/A | - |
| White hake | 6 | 4 | 7 | 4 | 1 | * | 1 | 1 | - 86 | - 86 |
| Catfish | 3 | 1 | 4 | 2 | * | * | * | * | - 98 | - 98 |
| Other Groundfish | 85 | 47 | 190 | 106 | 97 | 72 | 160 | 118 | - 16 | 11 |
| Total Groundfish | 521 | 755 | 920 | 1 337 | 768 | 1 291 | 1 314 | 2 247 | 43 | 68 |
| Herring | 308 | 94 | 2 218 | 586 | 49 | 23 | 2 848 | 640 | 28 | 9 |
| Mackerel | 27 | 14 | 27 | 14 | 194 | 100 | 194 | 100 | 609 | 612 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | * | * | N/A | N/A |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | 2 | 1 | 1 | * | 2 | * | - 7 | - 43 |
| Total Pelagic and Esturial fish | 336 | 108 | 2 248 | 601 | 244 | 123 | 3 044 | 741 | 35 | 23 |
| Soft shell clam | 173 | 375 | 677 | 1 482 | 146 | 224 | 490 | 772 | - 28 | - 48 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 187 | 253 | 412 | 576 | 331 | 435 | 660 | 922 | 60 | 60 |
| Whelk | 277 | 231 | 573 | 467 | 295 | 288 | 721 | 698 | 26 | 50 |
| Lobster | 1 543 | 21 583 | 2 716 | 37 726 | 1 175 | 14 552 | 2 923 | 38 223 | 8 | 1 |
| Shrimp | 3 405 | 4 440 | 7 942 | 10 646 | 2 708 | 2 890 | 10 097 | 13 088 | 27 | 23 |
| Rock crab | 87 | 61 | 115 | 81 | 63 | 40 | 117 | 73 | 2 | - 10 |
| Snow crab | 3 424 | 17 218 | 16 516 | 83 030 | 5 744 | 34 218 | 11 639 | 69 188 | - 30 | - 17 |
| Other Molluscs and Crustaceans | 3 | 2 | 3 | 2 | 5 | 3 | 20 | 15 | 490 | 555 |
| Total Molluscs and Crustaceans | 9 100 | 44 161 | 28 956 | 134 009 | 10 466 | 52 649 | 26 667 | 122 978 | - 8 | - 8 |
| Other Item | 2 | 6 | 3 | 9 | 28 | 123 | 70 | 214 | N/A | N/A |
| Total | 9 958 | 45 030 | 32 126 | 135 956 | 11 507 | 54 187 | 31 096 | 126 179 | - 3 | - 7 |

SUB-AREA OF MARITIME FISHERIES IN THE QUEBEC REGION



QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | * | * | 2 | 3 | 0 | 0 | 2 | 3 |
| Haddock | * | * | * | * | 0 | 0 | * | * |
| Redfish | 1 | * | 13 | 10 | 0 | 0 | 13 | 10 |
| Atlantic halibut | 6 | 35 | 15 | 83 | * | * | 21 | 119 |
| American plaice | 5 | 3 | 8 | 7 | 0 | 0 | 13 | 10 |
| Greysole (Witch) | * | * | * | * | 0 | 0 | * | * |
| Winter flounder | 32 | 27 | 102 | 71 | 0 | 0 | 134 | 98 |
| Greenland halibut | 235 | 464 | 736 | 1 424 | * | * | 971 | 1 888 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | * | * | 1 | * | 0 | 0 | 1 | 1 |
| Catfish | * | * | * | * | 0 | 0 | * | * |
| Other Groundfish | 5 | 2 | 154 | 116 | * | * | 160 | 118 |
| Total Groundfish | 284 | 533 | 1 030 | 1 714 | * | 1 | 1 314 | 2 247 |
| Herring | 770 | 211 | 2 078 | 429 | * | * | 2 848 | 640 |
| Mackerel | 90 | 42 | 104 | 58 | 0 | 0 | 194 | 100 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | * | * | 0 | 0 | 0 | 0 | * | * |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 1 | * | 1 | * | 0 | 0 | 2 | * |
| Total Pelagic and Estuarial fish | 861 | 254 | 2 183 | 487 | * | * | 3 044 | 741 |
| Soft shell clam | 490 | 772 | 0 | 0 | 0 | 0 | 490 | 772 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 50 | 60 | 611 | 862 | 0 | 0 | 660 | 922 |
| Whelk | 310 | 305 | 411 | 393 | 0 | 0 | 721 | 698 |
| Lobster | 1 493 | 19 879 | 1 430 | 18 344 | 0 | 0 | 2 923 | 38 223 |
| Shrimp | 0 | 0 | 7 484 | 9 713 | 2 613 | 3 375 | 10 097 | 13 088 |
| Rock crab | 78 | 49 | 39 | 24 | 0 | 0 | 117 | 73 |
| Snow crab | 630 | 3 763 | 10 990 | 65 304 | 20 | 121 | 11 639 | 69 188 |
| Other Molluscs and Crustaceans | 13 | 7 | 7 | 8 | 0 | 0 | 20 | 15 |
| Total Molluscs and Crustaceans | 3 063 | 24 835 | 20 971 | 94 647 | 2 633 | 3 496 | 26 667 | 122 978 |
| Other items | 29 | 123 | 42 | 90 | 0 | 0 | 70 | 214 |
| Total | 4 236 | 25 745 | 24 227 | 96 938 | 2 633 | 3 497 | 31 096 | 126 179 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | 1 | 2 |
| Haddock | 0 | 0 | 0 | 0 | * | * |
| Redfish | 0 | 0 | 0 | * | * | 13 |
| Atlantic halibut | 0 | 0 | 0 | 1 | 3 | 17 |
| American plaice | 0 | 0 | 0 | 1 | 4 | 7 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 6 | 64 | 64 |
| Greenland halibut | 0 | 0 | 0 | 41 | 363 | 567 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | * | 1 |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | 3 | 59 | 97 |
| Total Groundfish | 0 | 0 | 0 | 53 | 493 | 768 |
| Herring | 0 | 0 | 1 | 2 097 | 701 | 49 |
| Mackerel | 0 | 0 | * | 0 | 0 | 194 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | * | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | 1 |
| Total Pelagic and Estuarial fish | 0 | * | 1 | 2 098 | 702 | 244 |
| Soft shell clam | 0 | * | 40 | 94 | 209 | 146 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 93 | 235 | 331 |
| Whelk | 0 | 0 | 0 | 138 | 288 | 295 |
| Lobster | 0 | 0 | 0 | 0 | 1 748 | 1 175 |
| Shrimp | 0 | 0 | 0 | 4 256 | 3 133 | 2 708 |
| Rock crab | 0 | 0 | 0 | 0 | 54 | 63 |
| Snow crab | 0 | 0 | 4 | 1 730 | 4 161 | 5 744 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 7 | 8 | 5 |
| Total Molluscs and Crustaceans | 0 | 2 | 44 | 6 318 | 9 836 | 10 466 |
| Other items | 0 | 0 | * | 18 | 24 | 28 |
| Total | 0 | 2 | 45 | 8 487 | 11 055 | 11 507 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 21 |
| 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 134 |
| 0 | 0 | 0 | 0 | 0 | 0 | 971 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 160 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 314 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 848 |
| 0 | 0 | 0 | 0 | 0 | 0 | 194 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 044 |
| 0 | 0 | 0 | 0 | 0 | 0 | 490 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 660 |
| 0 | 0 | 0 | 0 | 0 | 0 | 721 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 923 |
| 0 | 0 | 0 | 0 | 0 | 0 | 10 097 |
| 0 | 0 | 0 | 0 | 0 | 0 | 117 |
| 0 | 0 | 0 | 0 | 0 | 0 | 11 639 |
| 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 26 667 |
| 0 | 0 | 0 | 0 | 0 | 0 | 70 |
| 0 | 0 | 0 | 0 | 0 | 0 | 31 096 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS IN 2003
QUEBEC REGION

PRELIMINARY *

REGIONAL SUMMARY

Value ('000$)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | 1 | 2 |
| Haddock | 0 | 0 | 0 | 0 | * | * |
| Redfish | 0 | 0 | 0 | * | * | 10 |
| Atlantic halibut | 0 | 0 | 0 | 3 | 15 | 100 |
| American plaice | 0 | 0 | 0 | 1 | 3 | 6 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 4 | 50 | 44 |
| Greenland halibut | 0 | 0 | 0 | 99 | 732 | 1 057 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | * | * |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | 2 | 44 | 72 |
| Total Groundfish | 0 | 0 | 0 | 110 | 846 | 1 291 |
| Herring | 0 | 0 | * | 374 | 243 | 23 |
| Mackerel | 0 | 0 | * | 0 | 0 | 100 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | * | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | * |
| Total Pelagic and Estuarial fish | 0 | * | 1 | 374 | 243 | 123 |
| Soft shell clam | 0 | * | 71 | 151 | 325 | 224 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 174 | 311 | 435 |
| Whelk | 0 | 0 | 0 | 130 | 280 | 288 |
| Lobster | 0 | 0 | 0 | 0 | 23 671 | 14 552 |
| Shrimp | 0 | 0 | 0 | 5 946 | 4 252 | 2 890 |
| Rock crab | 0 | 0 | 0 | 0 | 33 | 40 |
| Snow crab | 0 | 0 | 26 | 10 302 | 24 641 | 34 218 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 8 | 4 | 3 |
| Total Molluscs and Crustaceans | 0 | 2 | 96 | 16 711 | 53 519 | 52 649 |
| Other Items | 0 | 0 | * | 38 | 53 | 123 |
| Total | 0 | 2 | 97 | 17 233 | 54 661 | 54 187 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS IN 2003
QUEBEC REGION

PRELIMINARY *

REGIONAL SUMMARY

Value ('000$)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 119 |
| 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 888 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 118 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 247 |
| 0 | 0 | 0 | 0 | 0 | 0 | 640 |
| 0 | 0 | 0 | 0 | 0 | 0 | 100 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 741 |
| 0 | 0 | 0 | 0 | 0 | 0 | 772 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 922 |
| 0 | 0 | 0 | 0 | 0 | 0 | 698 |
| 0 | 0 | 0 | 0 | 0 | 0 | 38 223 |
| 0 | 0 | 0 | 0 | 0 | 0 | 13 088 |
| 0 | 0 | 0 | 0 | 0 | 0 | 73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 69 188 |
| 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 122 978 |
| 0 | 0 | 0 | 0 | 0 | 0 | 214 |
| 0 | 0 | 0 | 0 | 0 | 0 | 126 179 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 100 | 121 | 101 | 121 | 1 | 1 | 1 | 1 |
| Longline | 47 | 54 | 77 | 89 | * | * | * | * |
| Pot | * | * | * | * | * | * | * | * |
| Fixed gear | 7 | 8 | 7 | 8 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 8 | 7 | 79 | 71 | * | * | * | * |
| Shrimp trawl | 0 | 0 | * | * | * | * | * | * |
| Danish seine | 39 | 33 | 39 | 33 | 0 | 0 | 0 | 0 |
| Scottish seine | 27 | 25 | 42 | 42 | 1 | 1 | 1 | 1 |
| Species total | 229 | 248 | 345 | 364 | 2 | 2 | 2 | 3 |
| Redfish | | | | | | | | |
| Gill net | * | * | * | * | 1 | 1 | 2 | 1 |
| Longline | * | * | 1 | * | * | * | * | * |
| Fixed gear | * | * | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 30 | 21 | 31 | 22 | 11 | 9 | 11 | 9 |
| Shrimp trawl | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | 31 | 22 | 32 | 22 | 13 | 10 | 13 | 10 |
| American plaice | | | | | | | | |
| Gill net | 1 | 1 | 3 | 2 | 6 | 5 | 11 | 10 |
| Longline | * | * | * | * | * | * | * | * |
| Fixed gear | * | * | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | * | 1 | 6 | 3 | 1 | * | 2 | * |
| Danish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Scottish seine | 13 | 13 | 24 | 21 | 0 | 0 | * | * |
| Species total | 16 | 15 | 33 | 27 | 7 | 6 | 13 | 10 |
| Greenland halibut | | | | | | | | |
| Gill net | 53 | 123 | 74 | 171 | 559 | 1 042 | 963 | 1 873 |
| Longline | 2 | 6 | 13 | 31 | 5 | 8 | 5 | 8 |
| Fixed gear | 2 | 5 | 8 | 18 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 5 | 12 | 21 | 48 | 4 | 7 | 4 | 7 |
| Shrimp trawl | 1 | 1 | 1 | 2 | * | * | * | * |
| Species total | 64 | 148 | 116 | 268 | 567 | 1 057 | 971 | 1 888 |
| Unspecified groundfish | | | | | | | | |
| Gill net | 3 | 7 | 18 | 23 | 14 | 36 | 36 | 66 |
| Longline | 53 | 237 | 96 | 455 | 12 | 69 | 12 | 71 |
| Japanese trap | 0 | 0 | * | * | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Fixed gear | 1 | 7 | 2 | 7 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 6 | 4 | 75 | 53 | 17 | 5 | 61 | 35 |
| Shrimp trawl | * | * | 1 | 2 | * | 2 | 1 | 6 |
| Danish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Scottish seine | 117 | 66 | 203 | 114 | 136 | 105 | 205 | 158 |
| Species total | 182 | 322 | 394 | 655 | 179 | 217 | 315 | 336 |
| **Total Groundfish** | **521** | **755** | **920** | **1 337** | **768** | **1 291** | **1 314** | **2 247** |
| Herring | | | | | | | | |
| Gill net | 114 | 55 | 1 827 | 545 | 49 | 23 | 1 958 | 626 |
| Trap | 7 | 1 | 7 | 1 | 0 | 0 | 0 | 0 |
| Fixed gear | 0 | 0 | 196 | 2 | 0 | 0 | 890 | 15 |
| Bottom otter trawl (stern) | * | * | * | * | 0 | 0 | 0 | 0 |
| Shrimp trawl | 0 | 0 | 1 | * | 0 | 0 | * | * |
| Purse seine | 187 | 37 | 187 | 37 | 0 | 0 | 0 | 0 |
| Species total | 308 | 94 | 2 218 | 586 | 49 | 23 | 2 848 | 640 |
| Mackerel | | | | | | | | |
| Gill net | 25 | 13 | 25 | 13 | 189 | 97 | 190 | 97 |
| Handline | 2 | 1 | 2 | 1 | 5 | 3 | 5 | 3 |
| Species total | 27 | 14 | 27 | 14 | 194 | 100 | 194 | 100 |
| Unspecified, other fish | | | | | | | | |
| Gill net | * | * | * | * | 1 | * | 1 | * |
| Longline | 0 | 0 | * | * | * | * | * | * |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Bottom otter trawl (stern) | * | * | 1 | * | 0 | 0 | 0 | 0 |
| Species total | * | * | 2 | 1 | 1 | * | 2 | 1 |
| **Total Pelagic and Estuarial fish** | **336** | **108** | **2 248** | **601** | **244** | **123** | **3 044** | **741** |
| Scallop | | | | | | | | |
| Drag | 187 | 253 | 412 | 576 | 331 | 435 | 660 | 922 |
| Species total | 187 | 253 | 412 | 576 | 331 | 435 | 660 | 922 |
| Lobster | | | | | | | | |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Pot | 1 543 | 21 583 | 2 716 | 37 726 | 1 175 | 14 552 | 2 923 | 38 223 |
| Species total | 1 543 | 21 583 | 2 716 | 37 726 | 1 175 | 14 552 | 2 923 | 38 223 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 3 405 | 4 440 | 7 942 | 10 646 | 2 708 | 2 890 | 10 097 | 13 088 |
| Species total | 3 405 | 4 440 | 7 942 | 10 646 | 2 708 | 2 890 | 10 097 | 13 088 |
| Rock crab | | | | | | | | |
| Pot | 87 | 61 | 115 | 81 | 63 | 40 | 117 | 73 |
| Species total | 87 | 61 | 115 | 81 | 63 | 40 | 117 | 73 |
| Snow crab | | | | | | | | |
| Japanese trap | 897 | 4 419 | 3 698 | 18 340 | 960 | 5 603 | 2 201 | 13 013 |
| Rectangular trap | 0 | 0 | 0 | 0 | 4 | 21 | 5 | 30 |
| Conical trap | 2 436 | 12 351 | 12 172 | 61 453 | 4 706 | 28 144 | 9 168 | 54 569 |
| Pyramidal trap | 20 | 99 | 260 | 1 325 | 75 | 450 | 266 | 1 575 |
| Mix of trap - crab | 70 | 349 | 387 | 1 912 | 0 | 0 | 0 | 0 |
| Species total | 3 424 | 17 218 | 16 516 | 83 030 | 5 744 | 34 218 | 11 639 | 69 188 |
| Unspecified crustaeans | | | | | | | | |
| Trap | 276 | 230 | 573 | 466 | 295 | 288 | 721 | 698 |
| Pot | 3 | 2 | 3 | 2 | 5 | 3 | 13 | 7 |
| Conical trap | 0 | 0 | 0 | 0 | . | . | . | . |
| Rakes & tongs | 173 | 375 | 677 | 1 482 | 146 | 224 | 490 | 772 |
| Drag | 0 | 0 | . | 1 | 0 | 0 | 7 | 8 |
| Species total | 453 | 607 | 1 253 | 1 950 | 446 | 515 | 1 230 | 1 485 |
| **Total Molluscs et Crustaceans** | **9 100** | **44 161** | **28 956** | **134 009** | **10 466** | **52 649** | **26 667** | **122 978** |
| Unspecified items | | | | | | | | |
| Diving with hand tool | 0 | 0 | . | . | 0 | 0 | 41 | 86 |
| Gill net | 2 | 6 | 3 | 9 | 28 | 123 | 30 | 128 |
| Species total | 2 | 6 | 3 | 9 | 28 | 123 | 70 | 214 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| **Quebec region total :** | **9 958** | **45 030** | **32 126** | **135 956** | **11 507** | **54 187** | **31 096** | **126 179** |

## Monthly landings in metric tons in province of Québec
## 2003



## Monthly landings value in thousands of dollars in province of Québec 2003



QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

UPPER NORTH SHORE

TADOUSSAC TO GALLIX

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | - | - | - | - | * | * | * | * | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | - | - | - | - | - | - |
| Atlantic halibut | - | - | 2 | 17 | 3 | 20 | 3 | 22 | 26 | 32 |
| American plaice | * | * | * | * | 1 | 1 | 1 | 1 | N/A | N/A |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 1 | 2 | 3 | 6 | 49 | 92 | 57 | 109 | N/A | N/A |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | * | * | * | * | - | - | - | - | N/A | N/A |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | - | - | - | - | - | - | - | - | - | - |
| Total Groundfish | 1 | 2 | 5 | 23 | 53 | 113 | 61 | 132 | N/A | 482 |
| Herring | 3 | 2 | 53 | 29 | 4 | 3 | 16 | 11 | -69 | -61 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | - | - | - | - | - | - | - | - |
| Total Pelagic and Esturial fish | 3 | 2 | 53 | 29 | 4 | 3 | 16 | 11 | -69 | -61 |
| Soft shell clam | 137 | 303 | 635 | 1 396 | 144 | 221 | 484 | 761 | -24 | -45 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | - | - | - | - | - | - | - | - | - | - |
| Whelk | 80 | 67 | 245 | 205 | 60 | 54 | 210 | 186 | -14 | -9 |
| Lobster | - | - | - | - | - | - | - | - | - | - |
| Shrimp | - | - | 62 | 185 | - | - | 98 | 316 | 59 | 70 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 344 | 1 670 | 1 668 | 8 100 | 180 | 1 071 | 987 | 5 886 | -41 | -27 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 561 | 2 039 | 2 609 | 9 887 | 384 | 1 346 | 1 779 | 7 149 | -32 | -28 |
| Other Item | - | - | * | * | * | * | * | * | -94 | 21 |
| Total | 565 | 2 043 | 2 667 | 9 939 | 441 | 1 463 | 1 857 | 7 293 | -30 | -27 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

MIDDLE NORTH-SHORE

SEPT-ILES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty | Value | Qty. | Value | Qty. | Value |
| Cod | * | * | 3 | 4 | * | * | * | * | - 99 | -100 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | * | * | * | * | 740 | 410 |
| Atlantic halibut | 3 | 21 | 9 | 57 | 5 | 27 | 6 | 34 | - 37 | -40 |
| American plaice | - | - | * | * | * | * | * | * | 503 | 575 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | * | * | 6 | 14 | 36 | 67 | 69 | 133 | 976 | 832 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | * | * | * | * | * | * | * | * | - 98 | -98 |
| Other Groundfish | - | - | * | * | - | - | * | * | - 97 | -93 |
| Total Groundfish | 4 | 21 | 19 | 75 | 41 | 95 | 76 | 167 | 294 | 123 |
| Herring | 40 | 27 | 60 | 38 | 9 | 6 | 104 | 69 | 72 | 80 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | * | * | - | - | - | - | N/A | N/A |
| Total Pelagic and Esturial fish | 40 | 27 | 60 | 38 | 9 | 6 | 104 | 69 | 71 | 80 |
| Soft shell clam | 36 | 72 | 42 | 85 | 2 | 3 | 2 | 3 | - 95 | -97 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 130 | 147 | 254 | 286 | 218 | 235 | 384 | 416 | 51 | 45 |
| Whelk | 155 | 135 | 217 | 188 | 209 | 205 | 410 | 401 | 89 | 113 |
| Lobster | 26 | 354 | 34 | 472 | 16 | 204 | 24 | 314 | - 27 | -33 |
| Shrimp | 2 | 4 | 135 | 273 | 2 | 2 | 141 | 318 | 5 | 16 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 1 005 | 4 939 | 4 022 | 19 861 | 567 | 3 392 | 2 019 | 12 032 | - 50 | -39 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 1 354 | 5 650 | 4 703 | 21 166 | 1 015 | 4 041 | 2 981 | 13 485 | - 37 | - 36 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 1 398 | 5 699 | 4 783 | 21 279 | 1 066 | 4 142 | 3 160 | 13 721 | - 34 | - 36 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

LOWER NORTH-SHORE

KEGASKA TO BLANC-SABLON

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 3 | 4 | 3 | 4 | * | * | * | * | - 93 | -92 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | - | - | - | - | - | - |
| Atlantic halibut | 3 | 16 | 3 | 16 | 3 | 17 | 3 | 17 | - 4 | 4 |
| American plaice | - | - | - | - | - | - | - | - | - | - |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | * | * | * | * | 11 | 4 | 11 | 4 | N/A | N/A |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | 2 | 1 | 2 | 1 | - | - | - | - | N/A | N/A |
| Other Groundfish | - | - | - | - | - | - | - | - | - | - |
| Total Groundfish | 8 | 21 | 8 | 21 | 14 | 21 | 14 | 21 | 74 | 2 |
| Herring | 43 | 14 | 45 | 14 | 19 | 7 | 19 | 7 | - 59 | -48 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | * | * | - | - | - | - | N/A | N/A |
| Total Pelagic and Esturial fish | 44 | 14 | 45 | 14 | 19 | 7 | 19 | 7 | - 59 | - 49 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | * | * | 3 | 4 | 27 | 33 | 27 | 33 | 920 | 818 |
| Whelk | * | * | * | * | - | - | - | - | N/A | N/A |
| Lobster | 14 | 147 | 15 | 165 | 11 | 122 | 11 | 123 | - 27 | -25 |
| Shrimp | 295 | 388 | 315 | 414 | 523 | - | 523 | - | 66 | -100 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 540 | 2 665 | 1 258 | 6 196 | 381 | 2 158 | 415 | 2 357 | - 67 | -62 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 850 | 3 201 | 1 592 | 6 780 | 941 | 2 313 | 976 | 2 513 | - 39 | - 63 |
| Other Item | 2 | 6 | 3 | 9 | 28 | 123 | 30 | 128 | N/A | N/A |
| Total | 903 | 3 241 | 1 647 | 6 824 | 1 002 | 2 465 | 1 038 | 2 669 | - 37 | - 61 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | 2002 (final) June Qty. | 2002 (final) June Value | 2002 (final) Cumulative Qty. | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty. | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty. | 2003 (preliminary) Cumulative Value | Variation (%) of cumulative Qty. | Variation (%) of cumulative Value |
|---|---|---|---|---|---|---|---|---|---|---|
| Cod | 3 | 4 | 6 | 8 | * | * | * | * | - 95 | - 96 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | * | * | * | * | 740 | 410 |
| Atlantic halibut | 6 | 37 | 15 | 89 | 10 | 64 | 12 | 73 | - 20 | - 19 |
| American plaice | * | * | * | * | 1 | 1 | 1 | 1 | N/A | N/A |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 1 | 2 | 9 | 20 | 96 | 164 | 137 | 246 | N/A | N/A |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | * | * | * | * | - | - | - | - | N/A | N/A |
| Catfish | 2 | 1 | 2 | 1 | * | * | * | * | - 100 | - 100 |
| Other Groundfish | - | - | * | * | - | - | * | * | - 97 | - 93 |
| Total Groundfish | 13 | 44 | 32 | 119 | 108 | 229 | 151 | 321 | 370 | 170 |
| Herring | 87 | 43 | 158 | 82 | 32 | 16 | 138 | 87 | - 12 | 7 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | * | * | - | - | - | - | N/A | N/A |
| Total Pelagic and Esturial fish | 87 | 43 | 158 | 82 | 32 | 16 | 138 | 87 | - 12 | 7 |
| Soft shell clam | 173 | 375 | 677 | 1 482 | 146 | 224 | 486 | 764 | - 28 | - 48 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 131 | 147 | 257 | 290 | 245 | 267 | 411 | 449 | 60 | 55 |
| Whelk | 235 | 202 | 462 | 394 | 269 | 259 | 620 | 587 | 34 | 49 |
| Lobster | 39 | 500 | 49 | 638 | 27 | 326 | 36 | 438 | - 27 | - 31 |
| Shrimp | 297 | 392 | 512 | 873 | 525 | 2 | 762 | 633 | 49 | - 27 |
| Rock crab | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 1 890 | 9 274 | 6 948 | 34 157 | 1 128 | 6 622 | 3 421 | 20 275 | - 51 | - 41 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 2 765 | 10 890 | 8 904 | 37 833 | 2 340 | 7 700 | 5 735 | 23 147 | - 36 | - 39 |
| Other Item | 2 | 6 | 3 | 9 | 28 | 123 | 30 | 128 | 908 | N/A |
| Total | 2 867 | 10 984 | 9 097 | 38 042 | 2 509 | 8 069 | 6 054 | 23 683 | - 33 | - 38 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2003
QUEBEC REGION

* PRELIMINARY *

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | * | * | * | * | 0 | 0 | * | * |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | * | * | 0 | 0 | * | * |
| Atlantic halibut | 3 | 21 | 9 | 52 | 0 | 0 | 12 | 73 |
| American plaice | * | * | 1 | 1 | 0 | 0 | 1 | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 13 | 25 | 124 | 221 | 0 | 0 | 137 | 246 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | * | * | 0 | 0 | 0 | 0 | * | * |
| Other Groundfish | 0 | 0 | * | * | 0 | 0 | * | * |
| Total Groundfish | 17 | 46 | 135 | 275 | 0 | 0 | 151 | 321 |
| Herring | 56 | 33 | 82 | 55 | 0 | 0 | 138 | 87 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pelagic and Estuarial fish | 56 | 33 | 82 | 55 | 0 | 0 | 138 | 87 |
| Soft shell clam | 486 | 764 | 0 | 0 | 0 | 0 | 486 | 764 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 49 | 59 | 362 | 390 | 0 | 0 | 411 | 449 |
| Whelk | 291 | 285 | 328 | 302 | 0 | 0 | 620 | 587 |
| Lobster | 17 | 195 | 19 | 243 | 0 | 0 | 36 | 438 |
| Shrimp | 0 | 0 | 629 | 633 | 133 | 0 | 762 | 633 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 152 | 889 | 3 269 | 19 387 | 0 | 0 | 3 421 | 20 275 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Molluscs and Crustaceans | 995 | 2 192 | 4 607 | 20 955 | 133 | 0 | 5 735 | 23 147 |
| Other items | 29 | 123 | 1 | 5 | 0 | 0 | 30 | 128 |
| Total | 1 096 | 2 394 | 4 825 | 21 289 | 133 | 0 | 6 054 | 23 683 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

NORTH SHORE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | . | . |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | . | . |
| Atlantic halibut | 0 | 0 | 0 | . | 1 | 10 |
| American plaice | 0 | 0 | 0 | . | . | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 2 | 40 | 96 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | . |
| Other Groundfish | 0 | 0 | 0 | 0 | . | 0 |
| Total Groundfish | 0 | 0 | 0 | 2 | 41 | 108 |
| Herring | 0 | 0 | 1 | 13 | 93 | 32 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | 1 | 13 | 93 | 32 |
| Soft shell clam | 0 | . | 40 | 94 | 206 | 146 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 0 | 164 | 245 |
| Whelk | 0 | 0 | 0 | 100 | 250 | 269 |
| Lobster | 0 | 0 | 0 | 0 | 8 | 27 |
| Shrimp | 0 | 0 | 0 | 177 | 60 | 525 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 0 | 0 | 0 | 799 | 1 494 | 1 128 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Molluscs et Crustaceans | 0 | 2 | 40 | 1 170 | 2 183 | 2 340 |
| Other items | 0 | 0 | . | 0 | 1 | 28 |
| Total | 0 | 2 | 41 | 1 185 | 2 319 | 2 509 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

NORTH-SHORE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| 0 | 0 | 0 | 0 | 0 | 0 | 12 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 137 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| 0 | 0 | 0 | 0 | 0 | 0 | . |
| 0 | 0 | 0 | 0 | 0 | 0 | 151 |
| 0 | 0 | 0 | 0 | 0 | 0 | 138 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 138 |
| 0 | 0 | 0 | 0 | 0 | 0 | 486 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 411 |
| 0 | 0 | 0 | 0 | 0 | 0 | 620 |
| 0 | 0 | 0 | 0 | 0 | 0 | 36 |
| 0 | 0 | 0 | 0 | 0 | 0 | 762 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 421 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 5 735 |
| 0 | 0 | 0 | 0 | 0 | 0 | 30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 6 054 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

NORTH-SHORE

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | * | * |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | * | * |
| Atlantic halibut | 0 | 0 | 0 | * | 8 | 64 |
| American plaice | 0 | 0 | 0 | * | * | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 4 | 79 | 164 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | * |
| Other Groundfish | 0 | 0 | 0 | 0 | * | 0 |
| Total Groundfish | 0 | 0 | 0 | 4 | 87 | 229 |
| Herring | 0 | 0 | * | 9 | 62 | 16 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | * | 9 | 62 | 16 |
| Soft shell clam | 0 | * | 71 | 151 | 318 | 224 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 2 | 0 | 0 | 179 | 267 |
| Whelk | 0 | 0 | 0 | 89 | 239 | 259 |
| Lobster | 0 | 0 | 0 | 0 | 111 | 326 |
| Shrimp | 0 | 0 | 0 | 461 | 170 | 2 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 0 | 0 | 0 | 4 760 | 8 893 | 6 622 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Molluscs and Crustaceans | 0 | 2 | 71 | 5 462 | 9 911 | 7 700 |
| Other items | 0 | 0 | * | 0 | 5 | 123 |
| Total | 0 | 2 | 71 | 5 475 | 10 065 | 8 069 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

PRELIMINARY *

NORTH-SHORE

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 246 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 321 |
| 0 | 0 | 0 | 0 | 0 | 0 | 87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 87 |
| 0 | 0 | 0 | 0 | 0 | 0 | 764 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 449 |
| 0 | 0 | 0 | 0 | 0 | 0 | 587 |
| 0 | 0 | 0 | 0 | 0 | 0 | 438 |
| 0 | 0 | 0 | 0 | 0 | 0 | 633 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 20 275 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 23 147 |
| 0 | 0 | 0 | 0 | 0 | 0 | 128 |
| 0 | 0 | 0 | 0 | 0 | 0 | 23 683 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 2 | 2 | 2 | 2 | * | * | * | * |
| Longline | 2 | 2 | 5 | 6 | 0 | 0 | 0 | 0 |
| Species total | 3 | 4 | 6 | 8 | * | * | * | * |
| Redfish | | | | | | | | |
| Gill net | 0 | 0 | * | * | * | * | * | * |
| Longline | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | * | * | * | * | * | * | * | * |
| American plaice | | | | | | | | |
| Gill net | * | * | * | * | 1 | 1 | 1 | 1 |
| Longline | 0 | 0 | * | * | * | * | * | * |
| Species total | * | * | * | * | 1 | 1 | 1 | 1 |
| Greenland halibut | | | | | | | | |
| Gill net | 1 | 2 | 8 | 18 | 95 | 163 | 137 | 245 |
| Longline | * | * | 1 | 2 | * | 1 | * | 1 |
| Species total | 1 | 2 | 9 | 20 | 96 | 164 | 137 | 246 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | * | * | * | 1 | 4 | 22 | 5 | 29 |
| Longline | 8 | 38 | 16 | 89 | 6 | 42 | 7 | 44 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Species total | 8 | 38 | 17 | 91 | 10 | 64 | 12 | 73 |
| **Total Groundfish** | **13** | **44** | **32** | **119** | **108** | **229** | **151** | **321** |
| Herring | | | | | | | | |
| Gill net | 81 | 41 | 151 | 80 | 32 | 16 | 138 | 87 |
| Trap | 7 | 1 | 7 | 1 | 0 | 0 | 0 | 0 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Species total | 87 | 43 | 158 | 82 | 32 | 16 | 138 | 87 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | * | * | * | * | 0 | 0 | 0 | 0 |
| Longline | 0 | 0 | * | * | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Species total | * | * | * | * | 0 | 0 | 0 | 0 |
| **Total Pelagic and Estuarial fish** | **87** | **43** | **158** | **82** | **32** | **16** | **138** | **87** |
| Scallop | | | | | | | | |
| Drag | 131 | 147 | 257 | 290 | 245 | 267 | 411 | 449 |
| Species total | 131 | 147 | 257 | 290 | 245 | 267 | 411 | 449 |
| Lobster | | | | | | | | |
| Pot | 39 | 500 | 49 | 638 | 27 | 326 | 36 | 438 |
| Species total | 39 | 500 | 49 | 638 | 27 | 326 | 36 | 438 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 297 | 392 | 512 | 873 | 525 | 2 | 762 | 633 |
| Species total | 297 | 392 | 512 | 873 | 525 | 2 | 762 | 633 |
| Snow crab | | | | | | | | |
| Japanese trap | 832 | 4 090 | 2 498 | 12 277 | 534 | 3 067 | 1 009 | 5 903 |
| Conical trap | 986 | 4 830 | 4 049 | 19 899 | 594 | 3 555 | 2 412 | 14 372 |
| Pyramidal trap | 1 | 4 | 14 | 68 | 0 | 0 | 0 | 0 |
| Mix of trap - crab | 70 | 349 | 387 | 1 912 | 0 | 0 | 0 | 0 |
| Species total | 1 890 | 9 274 | 6 948 | 34 157 | 1 128 | 6 622 | 3 421 | 20 275 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 235 | 202 | 462 | 394 | 269 | 259 | 620 | 587 |
| Rakes & tongs | 173 | 375 | 677 | 1 482 | 146 | 224 | 486 | 764 |
| Species total | 408 | 577 | 1 139 | 1 876 | 415 | 483 | 1 106 | 1 352 |
| **Total Molluscs et Crustaceans** | **2 765** | **10 890** | **8 904** | **37 833** | **2 340** | **7 700** | **5 735** | **23 147** |
| OTHER ITEMS | | | | | | | | |
| Diving with hand tool | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Gill net | 2 | 6 | 3 | 9 | 28 | 123 | 30 | 128 |
| Species total | 2 | 6 | 3 | 9 | 28 | 123 | 30 | 128 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| **Sector total :** | **2 867** | **10 984** | **9 097** | **38 042** | **2 509** | **8 069** | **6 054** | **23 683** |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-NORTH

BIC TO RIVIERE-LA-MADELEINE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 1 | 1 | 1 | 1 | * | * | * | * | - 94 | -95 |
| Haddock | - | - | - | - | * | * | * | * | N/A | N/A |
| Redfish | * | * | * | * | * | * | 1 | * | 562 | 626 |
| Atlantic halibut | 3 | 14 | 4 | 19 | 1 | 6 | 2 | 8 | - 59 | -60 |
| American plaice | 1 | 1 | 2 | 2 | 5 | 4 | 9 | 8 | 381 | 403 |
| Greysole (Witch) | - | - | - | - | * | * | * | * | N/A | N/A |
| Winter flounder | - | - | - | - | * | * | * | * | N/A | N/A |
| Greenland halibut | 40 | 93 | 46 | 106 | 360 | 690 | 597 | 1 186 | N/A | N/A |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | * | * | * | * | 1 | * | 1 | * | 672 | N/A |
| Catfish | * | * | * | * | - | - | - | - | N/A | N/A |
| Other Groundfish | * | * | * | * | 1 | 1 | 1 | 1 | 525 | 540 |
| Total Groundfish | 45 | 110 | 52 | 128 | 367 | 701 | 610 | 1 204 | N/A | 838 |
| Herring | 2 | 1 | 5 | 4 | * | * | 2 | 1 | - 67 | -78 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | * | * | 1 | * | 1 | * | 365 | 309 |
| Total Pelagic and Esturial fish | 2 | 1 | 5 | 4 | 1 | * | 2 | 1 | - 55 | - 72 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 3 | 7 | 5 | 9 | 47 | 92 | 53 | 104 | 985 | N/A |
| Whelk | 41 | 27 | 109 | 71 | 26 | 29 | 101 | 111 | - 7 | 55 |
| Lobster | * | 6 | * | 6 | * | 3 | * | 5 | - 22 | -25 |
| Shrimp | 705 | 983 | 1 832 | 2 573 | 590 | 781 | 1 859 | 2 477 | 1 | -4 |
| Rock crab | 9 | 8 | 9 | 8 | 12 | 8 | 14 | 9 | 63 | 11 |
| Snow crab | 157 | 792 | 1 764 | 8 912 | 198 | 1 189 | 1 849 | 11 056 | 5 | 24 |
| Other Molluscs and Crustaceans | 3 | 1 | 3 | 1 | 5 | 3 | 13 | 7 | 398 | 398 |
| Total Molluscs and Crustaceans | 918 | 1 824 | 3 721 | 11 581 | 878 | 2 106 | 3 889 | 13 769 | 5 | 19 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 965 | 1 935 | 3 779 | 11 713 | 1 246 | 2 807 | 4 501 | 14 973 | 19 | 28 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-EAST

GRANDE VALLÉE TO CAP GASPÉ

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 81 | 95 | 139 | 157 | 1 | 1 | 1 | 1 | - 100 | -99 |
| Haddock | * | * | * | * | - | - | - | - | N/A | N/A |
| Redfish | 13 | 8 | 13 | 8 | 1 | 1 | 1 | 1 | - 92 | -91 |
| Atlantic halibut | 22 | 107 | 53 | 263 | 6 | 29 | 7 | 37 | - 87 | -86 |
| American plaice | * | * | 4 | 2 | * | * | 1 | 1 | - 79 | -70 |
| Greysole (Witch) | * | * | * | * | - | - | - | - | N/A | N/A |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 22 | 51 | 50 | 116 | 98 | 180 | 223 | 432 | 345 | 274 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 5 | 3 | 6 | 3 | * | * | * | * | - 94 | -94 |
| Catfish | 1 | * | 1 | * | * | * | * | * | - 94 | -92 |
| Other Groundfish | * | * | * | * | * | * | * | * | 108 | 613 |
| Total Groundfish | 144 | 264 | 267 | 549 | 106 | 210 | 234 | 471 | - 13 | - 14 |
| Herring | - | - | 1 | * | - | - | * | * | - 64 | 3 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | * | * | * | * | * | * | 289 | 661 |
| Total Pelagic and Esturial fish | * | * | 1 | * | * | * | 1 | * | - 16 | 110 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | - | - | - | - | 1 | 2 | 4 | 6 | N/A | N/A |
| Whelk | - | - | * | * | - | - | - | - | N/A | N/A |
| Lobster | 26 | 358 | 36 | 475 | 20 | 280 | 37 | 513 | 3 | 8 |
| Shrimp | 2 402 | 3 065 | 5 599 | 7 201 | 1 593 | 2 107 | 7 477 | 9 977 | 34 | 39 |
| Rock crab | 13 | 11 | 19 | 17 | 13 | 9 | 22 | 14 | 14 | -16 |
| Snow crab | 38 | 193 | 586 | 2 960 | 259 | 1 539 | 713 | 4 245 | 22 | 43 |
| Other Molluscs and Crustaceans | * | * | * | * | - | - | - | - | N/A | N/A |
| Total Molluscs and Crustaceans | 2 480 | 3 628 | 6 240 | 10 653 | 1 886 | 3 938 | 8 252 | 14 756 | 32 | 39 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 2 624 | 3 892 | 6 508 | 11 202 | 1 993 | 4 148 | 8 486 | 15 228 | 30 | 36 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-SOUTH

CAP-AUX-OS TO PORT DANIEL

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 106 | 110 | 145 | 143 | - | - | - | - | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | * | * | * | * | * | * | - 95 | -93 |
| Atlantic halibut | 17 | 88 | 22 | 110 | * | * | * | * | - 100 | -100 |
| American plaice | * | * | 2 | 1 | - | - | - | - | N/A | N/A |
| Greysole (Witch) | - | - | 1 | * | - | - | - | - | N/A | N/A |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | * | * | 11 | 26 | 10 | 18 | 10 | 18 | - 15 | -32 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 1 | 1 | 1 | 1 | * | * | * | * | - 97 | -97 |
| Catfish | * | * | 1 | * | - | - | - | - | N/A | N/A |
| Other Groundfish | - | - | * | * | * | * | * | * | 114 | -28 |
| Total Groundfish | 124 | 199 | 183 | 282 | 10 | 18 | 10 | 18 | - 95 | - 94 |
| Herring | 11 | 4 | 90 | 42 | 13 | 5 | 63 | 33 | - 30 | -20 |
| Mackerel | 1 | * | 1 | * | 21 | 12 | 21 | 12 | N/A | N/A |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | 1 | * | * | * | * | * | - 98 | -97 |
| Total Pelagic and Esturial fish | 11 | 4 | 92 | 43 | 34 | 17 | 83 | 45 | - 9 | 6 |
| Soft shell clam | - | - | - | - | - | - | 3 | 7 | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 12 | 23 | 20 | 38 | 7 | 13 | 10 | 19 | - 53 | -51 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 262 | 3 634 | 643 | 8 623 | 185 | 2 480 | 689 | 9 592 | 7 | 11 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Rock crab | 2 | 2 | 3 | 3 | 1 | * | 2 | 1 | - 47 | -60 |
| Snow crab | 828 | 4 200 | 4 703 | 23 845 | 2 642 | 15 727 | 3 403 | 20 259 | - 28 | -15 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 1 105 | 7 860 | 5 369 | 32 509 | 2 834 | 18 220 | 4 107 | 29 879 | - 24 | - 8 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 1 241 | 8 063 | 5 644 | 32 833 | 2 878 | 18 255 | 4 200 | 29 942 | - 26 | - 9 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

BAIE-DES-CHALEURS

SHIGAWAKE TO MATAPEDIA

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 9 | 11 | 9 | 11 | - | - | - | - | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | - | - | - | - | - | - |
| Atlantic halibut | - | - | - | - | - | - | - | - | - | - |
| American plaice | * | * | * | * | - | - | - | - | N/A | N/A |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | * | * | 1 | 1 | N/A | N/A |
| Greenland halibut | - | - | - | - | - | - | - | - | - | - |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | * | * | * | * | * | * | * | * | 231 | 231 |
| Total Groundfish | 9 | 12 | 9 | 12 | 1 | * | 1 | 1 | - 84 | - 89 |
| Herring | 20 | 8 | 162 | 76 | 3 | 1 | 228 | 80 | 41 | 6 |
| Mackerel | 14 | 9 | 14 | 9 | 158 | 74 | 158 | 74 | N/A | 691 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | * | * | N/A | N/A |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | - | - | - | - | * | * | N/A | N/A |
| Total Pelagic and Esturial fish | 34 | 17 | 176 | 85 | 161 | 75 | 386 | 155 | 119 | 82 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 14 | 26 | 26 | 49 | - | - | * | 1 | - 98 | -98 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 56 | 774 | 140 | 1 881 | 44 | 543 | 157 | 2 111 | 12 | 12 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Rock crab | 7 | 6 | 12 | 11 | 3 | 2 | 11 | 7 | - 5 | -29 |
| Snow crab | 11 | 56 | 1 100 | 5 576 | 708 | 4 216 | 898 | 5 344 | - 18 | -4 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 88 | 863 | 1 278 | 7 517 | 755 | 4 762 | 1 067 | 7 463 | - 17 | - 1 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 131 | 892 | 1 464 | 7 613 | 917 | 4 837 | 1 454 | 7 619 | - 1 | 0 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 196 | 217 | 294 | 312 | 1 | 1 | 1 | 1 | - 100 | - 100 |
| Haddock | * | * | * | * | * | * | * | * | 11 | 6 |
| Redfish | 13 | 8 | 14 | 8 | 1 | 1 | 2 | 1 | - 88 | - 87 |
| Atlantic halibut | 41 | 210 | 78 | 393 | 7 | 35 | 9 | 45 | - 89 | - 89 |
| American plaice | 2 | 2 | 9 | 5 | 5 | 4 | 10 | 8 | 12 | 64 |
| Greysole (Witch) | * | * | 1 | * | * | * | * | * | - 98 | - 96 |
| Winter flounder | - | - | - | - | * | * | 1 | 1 | N/A | N/A |
| Greenland halibut | 62 | 144 | 107 | 247 | 468 | 887 | 830 | 1 636 | 676 | 561 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 6 | 4 | 7 | 4 | 1 | * | 1 | 1 | - 86 | - 86 |
| Catfish | 1 | * | 2 | 1 | * | * | * | * | - 96 | - 95 |
| Other Groundfish | * | * | 1 | * | 1 | 1 | 2 | 1 | 284 | 452 |
| Total Groundfish | 323 | 585 | 512 | 971 | 484 | 929 | 855 | 1 694 | 67 | 75 |
| Herring | 32 | 13 | 258 | 121 | 17 | 7 | 293 | 114 | 13 | - 5 |
| Mackerel | 15 | 10 | 15 | 10 | 178 | 86 | 178 | 86 | N/A | 775 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | * | * | N/A | N/A |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | 2 | * | 1 | * | 1 | * | - 25 | 21 |
| Total Pelagic and Esturial fish | 47 | 23 | 274 | 131 | 196 | 93 | 473 | 201 | 72 | 53 |
| Soft shell clam | - | - | - | - | - | - | 3 | 7 | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 30 | 55 | 52 | 97 | 55 | 107 | 67 | 130 | 30 | 34 |
| Whelk | 41 | 27 | 109 | 71 | 26 | 29 | 101 | 111 | - 8 | 55 |
| Lobster | 345 | 4 773 | 819 | 10 986 | 250 | 3 307 | 883 | 12 221 | 8 | 11 |
| Shrimp | 3 108 | 4 048 | 7 431 | 9 773 | 2 183 | 2 888 | 9 335 | 12 455 | 26 | 27 |
| Rock crab | 31 | 28 | 42 | 39 | 28 | 19 | 48 | 32 | 14 | - 16 |
| Snow crab | 1 034 | 5 241 | 8 153 | 41 292 | 3 807 | 22 671 | 6 863 | 40 904 | - 16 | - 1 |
| Other Molluscs and Crustaceans | 3 | 2 | 3 | 2 | 5 | 3 | 13 | 7 | 328 | 328 |
| Total Molluscs and Crustaceans | 4 591 | 14 175 | 16 608 | 62 259 | 6 354 | 29 025 | 17 314 | 65 867 | 4 | 6 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 4 961 | 14 782 | 17 394 | 63 361 | 7 034 | 30 047 | 18 641 | 67 762 | 7 | 7 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2003
QUEBEC REGION

" PRELIMINARY "

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | * | * | 1 | 1 | 0 | 0 | 1 | 1 |
| Haddock | * | * | * | * | 0 | 0 | * | * |
| Redfish | 1 | * | 1 | 1 | 0 | 0 | 2 | 1 |
| Atlantic halibut | 3 | 15 | 6 | 30 | * | * | 9 | 45 |
| American plaice | 3 | 3 | 6 | 5 | 0 | 0 | 10 | 8 |
| Greysole (Witch) | * | * | * | * | 0 | 0 | * | * |
| Winter flounder | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| Greenland halibut | 221 | 439 | 608 | 1 197 | * | * | 830 | 1 636 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | * | * | 1 | * | 0 | 0 | 1 | 1 |
| Catfish | 0 | 0 | * | * | 0 | 0 | * | * |
| Other Groundfish | 1 | * | 1 | 1 | * | * | 2 | 1 |
| Total Groundfish | 231 | 459 | 624 | 1 235 | * | 1 | 855 | 1 694 |
| Herring | 107 | 47 | 186 | 67 | * | * | 293 | 114 |
| Mackerel | 90 | 42 | 88 | 44 | 0 | 0 | 178 | 86 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | * | * | 0 | 0 | 0 | 0 | * | * |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | * | * | 1 | * | 0 | 0 | 1 | * |
| Total Pelagic and Estuarial fish | 198 | 90 | 275 | 111 | * | * | 473 | 201 |
| Soft shell clam | 3 | 7 | 0 | 0 | 0 | 0 | 3 | 7 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 67 | 130 | 0 | 0 | 67 | 130 |
| Whelk | 18 | 20 | 83 | 91 | 0 | 0 | 101 | 111 |
| Lobster | 776 | 10 761 | 106 | 1 461 | 0 | 0 | 883 | 12 221 |
| Shrimp | 0 | 0 | 6 855 | 9 079 | 2 480 | 3 375 | 9 335 | 12 455 |
| Rock crab | 45 | 30 | 3 | 2 | 0 | 0 | 48 | 32 |
| Snow crab | 434 | 2 602 | 6 414 | 38 213 | 15 | 89 | 6 863 | 40 904 |
| Other Molluscs and Crustaceans | 13 | 7 | 0 | 0 | 0 | 0 | 13 | 7 |
| Total Molluscs and Crustaceans | 1 290 | 13 427 | 13 529 | 48 976 | 2 495 | 3 464 | 17 314 | 65 867 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1 719 | 13 976 | 14 427 | 50 321 | 2 495 | 3 465 | 18 641 | 67 762 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

" PRELIMINARY "

GASPESIE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | . | . | 1 |
| Haddock | 0 | 0 | 0 | 0 | . | . |
| Redfish | 0 | 0 | 0 | . | . | 1 |
| Atlantic halibut | 0 | 0 | 0 | 1 | 1 | 7 |
| American plaice | 0 | 0 | 0 | 1 | 3 | 5 |
| Greyscle (Witch) | 0 | 0 | 0 | 0 | . | . |
| Winter flounder | 0 | 0 | 0 | 0 | 1 | . |
| Greenland halibut | 0 | 0 | 0 | 39 | 323 | 468 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | . | . | 1 |
| Catfish | 0 | 0 | 0 | 0 | 0 | . |
| Other Groundfish | 0 | 0 | 0 | . | . | 1 |
| Total Groundfish | 0 | 0 | 0 | 41 | 330 | 484 |
| Herring | 0 | 0 | 0 | 23 | 253 | 17 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 178 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | . | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | . | . | 1 |
| Total Pelagic and Estuarial fish | 0 | . | 0 | 23 | 253 | 196 |
| Soft shell clam | 0 | 0 | 0 | 0 | 3 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 3 | 10 | 55 |
| Whelk | 0 | 0 | 0 | 37 | 37 | 26 |
| Lobster | 0 | 0 | 0 | 0 | 633 | 250 |
| Shrimp | 0 | 0 | 0 | 4 080 | 3 072 | 2 183 |
| Rock crab | 0 | 0 | 0 | 0 | 20 | 28 |
| Snow crab | 0 | 0 | 4 | 931 | 2 121 | 3 807 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 8 | 5 |
| Total Molluscs et Crustaceans | 0 | 0 | 4 | 5 051 | 5 905 | 6 354 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | . | 4 | 5 115 | 6 488 | 7 034 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

" PRELIMINARY "

GASPESIE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 830 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 855 |
| 0 | 0 | 0 | 0 | 0 | 0 | 293 |
| 0 | 0 | 0 | 0 | 0 | 0 | 178 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 473 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 67 |
| 0 | 0 | 0 | 0 | 0 | 0 | 101 |
| 0 | 0 | 0 | 0 | 0 | 0 | 883 |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 335 |
| 0 | 0 | 0 | 0 | 0 | 0 | 48 |
| 0 | 0 | 0 | 0 | 0 | 0 | 6 863 |
| 0 | 0 | 0 | 0 | 0 | 0 | 13 |
| 0 | 0 | 0 | 0 | 0 | 0 | 17 314 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 18 641 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

" PRELIMINARY "

GASPESIE

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | . | . | 1 |
| Haddock | 0 | 0 | 0 | 0 | . | . |
| Redfish | 0 | 0 | 0 | . | . | 1 |
| Atlantic halibut | 0 | 0 | 0 | 3 | 7 | 35 |
| American plaice | 0 | 0 | 0 | 1 | 3 | 4 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | . | . |
| Winter flounder | 0 | 0 | 0 | 0 | 1 | . |
| Greenland halibut | 0 | 0 | 0 | 95 | 654 | 887 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | . | . | . |
| Catfish | 0 | 0 | 0 | 0 | 0 | . |
| Other Groundfish | 0 | 0 | 0 | . | . | 1 |
| Total Groundfish | 0 | 0 | 0 | 100 | 665 | 929 |
| Herring | 0 | 0 | 0 | 13 | 95 | 7 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 86 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | . | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | . | . | . |
| Total Pelagic and Estuarial fish | 0 | . | 0 | 13 | 95 | 93 |
| Soft shell clam | 0 | 0 | 0 | 0 | 7 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 5 | 17 | 107 |
| Whelk | 0 | 0 | 0 | 41 | 41 | 29 |
| Lobster | 0 | 0 | 0 | 0 | 8 915 | 3 307 |
| Shrimp | 0 | 0 | 0 | 5 484 | 4 082 | 2 888 |
| Rock crab | 0 | 0 | 0 | 0 | 13 | 19 |
| Snow crab | 0 | 0 | 26 | 5 542 | 12 665 | 22 671 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 4 | 3 |
| Total Molluscs and Crustaceans | 0 | 0 | 26 | 11 072 | 25 744 | 29 025 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | . | 26 | 11 185 | 26 504 | 30 047 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

"PRELIMINARY"

GASPESIE

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | - |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 45 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0 | 0 | 0 | 0 | 0 | 0 | - |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 636 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | - |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 694 |
| 0 | 0 | 0 | 0 | 0 | 0 | 114 |
| 0 | 0 | 0 | 0 | 0 | 0 | 86 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | - |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | - |
| 0 | 0 | 0 | 0 | 0 | 0 | 201 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 130 |
| 0 | 0 | 0 | 0 | 0 | 0 | 111 |
| 0 | 0 | 0 | 0 | 0 | 0 | 12 221 |
| 0 | 0 | 0 | 0 | 0 | 0 | 12 455 |
| 0 | 0 | 0 | 0 | 0 | 0 | 32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 40 904 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 65 867 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 67 762 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 99 | 119 | 99 | 119 | . | . | . | . |
| Longline | 43 | 50 | 71 | 81 | . | . | . | . |
| Fixed gear | 7 | 8 | 7 | 8 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 8 | 7 | 78 | 71 | 0 | 0 | 0 | 0 |
| Shrimp trawl | 0 | 0 | . | . | . | . | . | . |
| Danish seine | 39 | 33 | 39 | 33 | 0 | 0 | 0 | 0 |
| Species total | 196 | 217 | 294 | 312 | 1 | 1 | 1 | 1 |
| Redfish | | | | | | | | |
| Gill net | . | . | . | . | 1 | 1 | 2 | 1 |
| Longline | . | . | 1 | . | . | . | . | . |
| Fixed gear | . | . | . | . | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 12 | 8 | 13 | 8 | 0 | 0 | 0 | 0 |
| Shrimp trawl | . | . | . | . | 0 | 0 | 0 | 0 |
| Species total | 13 | 8 | 14 | 8 | 1 | 1 | 2 | 1 |
| American plaice | | | | | | | | |
| Gill net | 1 | 1 | 2 | 2 | 5 | 4 | 10 | 8 |
| Longline | . | . | . | . | . | . | . | . |
| Fixed gear | . | . | . | . | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | . | . | 6 | 3 | 0 | 0 | 0 | 0 |
| Danish seine | . | . | . | . | 0 | 0 | 0 | 0 |
| Species total | 2 | 2 | 9 | 5 | 5 | 4 | 10 | 8 |
| Greenland halibut | | | | | | | | |
| Gill net | 52 | 121 | 66 | 152 | 463 | 879 | 826 | 1 628 |
| Longline | 2 | 5 | 12 | 29 | 4 | 7 | 4 | 7 |
| Fixed gear | 2 | 5 | 8 | 18 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 5 | 11 | 20 | 47 | 0 | 0 | 0 | 0 |
| Shrimp trawl | 1 | 1 | 1 | 2 | . | . | . | . |
| Species total | 62 | 144 | 107 | 247 | 468 | 887 | 830 | 1 636 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 2 | 6 | 3 | 9 | 4 | 8 | 7 | 15 |
| Longline | 45 | 199 | 79 | 366 | 5 | 27 | 5 | 27 |
| Japanese trap | 0 | 0 | . | . | 0 | 0 | 0 | 0 |
| Fixed gear | 1 | 7 | 2 | 7 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 1 | 1 | 5 | 13 | 0 | 0 | 0 | 0 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Shrimp trawl | * | * | 1 | 2 | * | 2 | 1 | 6 |
| Danish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | 50 | 214 | 89 | 398 | 9 | 37 | 13 | 48 |
| **Total Groundfish** | **323** | **585** | **512** | **971** | **484** | **929** | **855** | **1 694** |
| Herring | | | | | | | | |
| Gill net | 32 | 13 | 258 | 121 | 17 | 7 | 288 | 113 |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1 |
| Shrimp trawl | 0 | 0 | 1 | * | 0 | 0 | * | * |
| Species total | 32 | 13 | 258 | 121 | 17 | 7 | 293 | 114 |
| Mackerel | | | | | | | | |
| Gill net | 15 | 10 | 15 | 10 | 174 | 83 | 174 | 83 |
| Handline | 0 | 0 | 0 | 0 | 5 | 3 | 5 | 3 |
| Species total | 15 | 10 | 15 | 10 | 178 | 86 | 178 | 86 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | * | * | * | * | 1 | * | 1 | * |
| Longline | 0 | 0 | 0 | 0 | * | * | * | * |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | * | 0 |
| Bottom otter trawl (stern) | * | * | 1 | * | 0 | 0 | 0 | 0 |
| Species total | * | * | 2 | * | 1 | * | 1 | 1 |
| **Total Pelagic and Estuarial fish** | **47** | **23** | **274** | **131** | **196** | **93** | **473** | **201** |
| Scallop | | | | | | | | |
| Drag | 30 | 55 | 52 | 97 | 55 | 107 | 67 | 130 |
| Species total | 30 | 55 | 52 | 97 | 55 | 107 | 67 | 130 |
| Lobster | | | | | | | | |
| Pot | 345 | 4 773 | 819 | 10 986 | 250 | 3 307 | 883 | 12 221 |
| Species total | 345 | 4 773 | 819 | 10 986 | 250 | 3 307 | 883 | 12 221 |
| Shrimp | | | | | | | | |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Shrimp trawl | 3 108 | 4 048 | 7 431 | 9 773 | 2 183 | 2 888 | 9 335 | 12 455 |
| Species total | 3 108 | 4 048 | 7 431 | 9 773 | 2 183 | 2 888 | 9 335 | 12 455 |
| Rock crab | | | | | | | | |
| Pot | 31 | 28 | 42 | 39 | 28 | 19 | 48 | 32 |
| Species total | 31 | 28 | 42 | 39 | 28 | 19 | 48 | 32 |
| Snow crab | | | | | | | | |
| Japanese trap | 65 | 329 | 1 200 | 6 063 | 426 | 2 536 | 1 191 | 7 110 |
| Rectangular trap | 0 | 0 | 0 | 0 | 4 | 21 | 5 | 30 |
| Conical trap | 958 | 4 854 | 6 747 | 34 184 | 3 322 | 19 785 | 5 445 | 32 443 |
| Pyramidal trap | 11 | 58 | 206 | 1 045 | 55 | 329 | 222 | 1 320 |
| Species total | 1 034 | 5 241 | 8 153 | 41 292 | 3 807 | 22 671 | 6 863 | 40 904 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 40 | 27 | 109 | 71 | 26 | 29 | 101 | 111 |
| Pot | 3 | 2 | 3 | 2 | 5 | 3 | 13 | 7 |
| Rakes & tongs | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 7 |
| Species total | 44 | 29 | 112 | 73 | 31 | 32 | 117 | 125 |
| **Total Molluscs et Crustaceans** | **4 591** | **14 175** | **16 608** | **62 259** | **6 354** | **29 025** | **17 314** | **65 867** |
| **Sector total :** | **4 961** | **14 782** | **17 394** | **63 361** | **7 034** | **30 047** | **18 641** | **67 762** |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | 2002 (final) | | | | 2003 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| | Qty | Value | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | 29 | 28 | 45 | 45 | 1 | 1 | 1 | 2 | - 97 | - 96 |
| Haddock | - | - | - | - | * | * | * | * | N/A | N/A |
| Redfish | 18 | 14 | 18 | 14 | 11 | 9 | 11 | 9 | - 37 | - 36 |
| Atlantic halibut | * | 2 | * | 2 | * | 1 | * | 1 | - 40 | - 47 |
| American plaice | 14 | 13 | 25 | 22 | 1 | * | 2 | * | - 94 | - 100 |
| Greysole (Witch) | 1 | 1 | 1 | 1 | - | - | - | - | N/A | N/A |
| Winter flounder | 38 | 21 | 95 | 58 | 64 | 44 | 133 | 97 | 39 | 68 |
| Greenland halibut | * | 1 | * | 1 | 4 | 7 | 4 | 7 | 700 | 630 |
| Unspecified flounders | * | - | 2 | - | - | - | - | - | N/A | N/A |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | 85 | 47 | 190 | 106 | 96 | 71 | 158 | 117 | - 17 | 10 |
| Total Groundfish | 185 | 126 | 376 | 248 | 176 | 132 | 308 | 232 | - 18 | - 6 |
| Herring | 188 | 37 | 1 796 | 380 | | | 2 416 | 438 | 35 | 15 |
| Mackerel | 13 | 4 | 13 | 4 | 16 | 14 | 16 | 14 | 24 | 232 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Estuarial fish | * | * | * | * | | | 1 | - | 622 | - 100 |
| Total Pelagic and Estuarial fish | 200 | 41 | 1 809 | 384 | 16 | 14 | 2 432 | 452 | 34 | 18 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Scallop | 27 | 50 | 104 | 190 | 31 | 60 | 182 | 343 | 75 | 81 |
| Whelk | * | * | * | * | * | * | * | * | - 85 | - 100 |
| Lobster | 1 159 | 16 310 | 1 848 | 26 102 | 898 | 10 918 | 2 005 | 25 564 | 8 | - 2 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Rock crab | 56 | 33 | 73 | 42 | 34 | 21 | 69 | 41 | - 6 | - 4 |
| Snow crab | 500 | 2 703 | 1 416 | 7 581 | 809 | 4 925 | 1 355 | 8 009 | 4 | 6 |
| Other Molluscs and Crustaceans | - | - | * | 1 | - | - | 7 | 8 | N/A | N/A |
| Total Molluscs and Crustaceans | 1 743 | 19 096 | 3 442 | 33 916 | 1 772 | 15 924 | 3 618 | 33 964 | 5 | 0 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 2 129 | 19 263 | 5 627 | 34 548 | 1 964 | 16 070 | 6 358 | 34 648 | 13 | 0 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2003
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | * | * | 1 | 2 | 0 | 0 | 1 | 2 |
| Haddock | 0 | 0 | * | * | 0 | 0 | * | * |
| Redfish | 0 | 0 | 11 | 9 | 0 | 0 | 11 | 9 |
| Atlantic halibut | 0 | 0 | * | 1 | 0 | 0 | * | 1 |
| American plaice | 1 | * | * | * | 0 | 0 | 2 | * |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 31 | 26 | 102 | 71 | 0 | 0 | 133 | 97 |
| Greenland halibut | 0 | 0 | 4 | 7 | 0 | 0 | 4 | 7 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 5 | 2 | 153 | 115 | 0 | 0 | 158 | 117 |
| Total Groundfish | 37 | 28 | 272 | 204 | 0 | 0 | 308 | 232 |
| Herring | 606 | 131 | 1 810 | 307 | 0 | 0 | 2 416 | 438 |
| Mackerel | 0 | 0 | 16 | 14 | 0 | 0 | 16 | 14 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | * | 0 | * | 0 | 0 | 0 | 1 | 0 |
| Total Pelagic and Estuarial fish | 606 | 131 | 1 826 | 321 | 0 | 0 | 2 432 | 452 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 1 | 1 | 181 | 342 | 0 | 0 | 182 | 343 |
| Whelk | 0 | 0 | * | * | 0 | 0 | * | * |
| Lobster | 700 | 8 923 | 1 305 | 16 641 | 0 | 0 | 2 005 | 25 564 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 33 | 19 | 36 | 22 | 0 | 0 | 69 | 41 |
| Snow crab | 44 | 273 | 1 306 | 7 704 | 5 | 32 | 1 355 | 8 009 |
| Other Molluscs and Crustaceans | 0 | 0 | 7 | 8 | 0 | 0 | 7 | 8 |
| Total Molluscs and Crustaceans | 777 | 9 216 | 2 836 | 24 717 | 5 | 32 | 3 618 | 33 964 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1 420 | 9 375 | 4 933 | 25 242 | 5 | 32 | 6 358 | 34 648 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

PRELIMINARY

MAGDALEN ISLANDS

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | * | 1 |
| Haddock | 0 | 0 | 0 | 0 | 0 | * |
| Redfish | 0 | 0 | 0 | 0 | 0 | 11 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 0 | * |
| American plaice | 0 | 0 | 0 | * | * | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 6 | 63 | 64 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 4 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 3 | 59 | 96 |
| Total Groundfish | 0 | 0 | 0 | 10 | 122 | 176 |
| Herring | 0 | 0 | 0 | 2 061 | 355 | 0 |
| Mackerel | 0 | 0 | * | 0 | 0 | 16 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | * | 2 061 | 355 | 16 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 90 | 61 | 31 |
| Whelk | 0 | 0 | 0 | 0 | * | * |
| Lobster | 0 | 0 | 0 | 0 | 1 107 | 898 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 0 | 0 | 0 | 0 | 34 | 34 |
| Snow crab | 0 | 0 | 0 | 0 | 546 | 809 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 7 | 0 | 0 |
| Total Molluscs et Crustaceans | 0 | 0 | 0 | 97 | 1 748 | 1 772 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | * | 2 168 | 2 226 | 1 964 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

PRELIMINARY

MAGDALEN ISLANDS

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 133 |
| 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 158 |
| 0 | 0 | 0 | 0 | 0 | 0 | 308 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 416 |
| 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 432 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 182 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 005 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 69 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 355 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 618 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 6 358 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | 1 | 1 |
| Haddock | 0 | 0 | 0 | 0 | 0 | * |
| Redfish | 0 | 0 | 0 | 0 | 0 | 9 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 0 | 1 |
| American plaice | 0 | 0 | 0 | * | * | * |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 4 | 49 | 44 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 7 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 2 | 44 | 71 |
| Total Groundfish | 0 | 0 | 0 | 6 | 93 | 132 |
| Herring | 0 | 0 | 0 | 352 | 86 | 0 |
| Mackerel | 0 | 0 | * | 0 | 0 | 14 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | * | 352 | 86 | 14 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 169 | 115 | 60 |
| Whelk | 0 | 0 | 0 | 0 | * | * |
| Lobster | 0 | 0 | 0 | 0 | 14 646 | 10 918 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 0 | 0 | 0 | 0 | 20 | 21 |
| Snow crab | 0 | 0 | 0 | 0 | 3 083 | 4 925 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 8 | 0 | 0 |
| Total Molluscs and Crustaceans | 0 | 0 | 0 | 177 | 17 864 | 15 924 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | * | 535 | 18 043 | 16 070 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2003
QUEBEC REGION

" PRELIMINARY "

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 97 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 117 |
| 0 | 0 | 0 | 0 | 0 | 0 | 232 |
| 0 | 0 | 0 | 0 | 0 | 0 | 438 |
| 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 452 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 343 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 25 564 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 41 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 009 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0 | 0 | 0 | 0 | 0 | 0 | 33 964 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 34 648 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 0 | 0 | 1 | * | 0 | 0 | * | * |
| Longline | 2 | 2 | 2 | 2 | 0 | 0 | 0 | 0 |
| Pot | * | * | * | * | * | * | * | * |
| Bottom otter trawl (stern) | 1 | 1 | 1 | 1 | * | * | * | * |
| Scottish seine | 27 | 25 | 42 | 42 | 1 | 1 | 1 | 1 |
| Species total : | 29 | 28 | 45 | 45 | 1 | 1 | 1 | 2 |
| Redfish | | | | | | | | |
| Bottom otter trawl (stern) | 18 | 14 | 18 | 14 | 11 | 9 | 11 | 9 |
| Species total : | 18 | 14 | 18 | 14 | 11 | 9 | 11 | 9 |
| American plaice | | | | | | | | |
| Bottom otter trawl (stern) | * | 1 | * | 1 | 1 | * | 2 | * |
| Scottish seine | 13 | 13 | 24 | 21 | 0 | 0 | * | * |
| Species total : | 14 | 13 | 25 | 22 | 1 | * | 2 | * |
| Greenland halibut | | | | | | | | |
| Bottom otter trawl (stern) | * | 1 | * | 1 | 4 | 7 | 4 | 7 |
| Species total : | * | 1 | * | 1 | 4 | 7 | 4 | 7 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 1 | 1 | 14 | 12 | 6 | 6 | 25 | 22 |
| Longline | 0 | 0 | 0 | 0 | * | * | * | * |
| Bottom otter trawl (stern) | 5 | 3 | 70 | 40 | 17 | 5 | 61 | 35 |
| Scottish seine | 117 | 66 | 203 | 114 | 136 | 105 | 205 | 158 |
| Species total : | 124 | 71 | 288 | 166 | 160 | 116 | 290 | 215 |
| **Total Groundfish** | **185** | **126** | **376** | **248** | **176** | **132** | **308** | **232** |
| Herring | | | | | | | | |
| Gill net | 0 | 0 | 1 412 | 341 | 0 | 0 | 1 530 | 425 |
| Fixed gear | 0 | 0 | 196 | 2 | 0 | 0 | 886 | 13 |
| Bottom otter trawl (stern) | * | * | * | * | 0 | 0 | 0 | 0 |
| Purse seine | 187 | 37 | 187 | 37 | 0 | 0 | 0 | 0 |
| Species total : | 188 | 37 | 1 796 | 380 | 0 | 0 | 2 416 | 438 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) June Qty | 2002 (final) June Value | 2002 (final) Cumulative Qty | 2002 (final) Cumulative Value | 2003 (preliminary) June Qty | 2003 (preliminary) June Value | 2003 (preliminary) Cumulative Qty | 2003 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Mackerel | | | | | | | | |
| Gill net | 10 | 3 | 10 | 3 | 16 | 14 | 16 | 14 |
| Handline | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 |
| Species total | 13 | 4 | 13 | 4 | 16 | 14 | 16 | 14 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Bottom otter trawl (stern) | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | * | * | * | * | 0 | 0 | 1 | 0 |
| **Total Pelagic and Estuarial fish** | **200** | **41** | **1 809** | **384** | **16** | **14** | **2 432** | **452** |
| Scallop | | | | | | | | |
| Drag | 27 | 50 | 104 | 190 | 31 | 60 | 182 | 343 |
| Species total | 27 | 50 | 104 | 190 | 31 | 60 | 182 | 343 |
| Lobster | | | | | | | | |
| Pot | 1 159 | 16 310 | 1 848 | 26 102 | 898 | 10 918 | 2 005 | 25 564 |
| Species total | 1 159 | 16 310 | 1 848 | 26 102 | 898 | 10 918 | 2 005 | 25 564 |
| Rock crab | | | | | | | | |
| Pot | 56 | 33 | 73 | 42 | 34 | 21 | 69 | 41 |
| Species total | 56 | 33 | 73 | 42 | 34 | 21 | 69 | 41 |
| Snow crab | | | | | | | | |
| Conical trap | 492 | 2 666 | 1 376 | 7 370 | 790 | 4 804 | 1 311 | 7 754 |
| Pyramidal trap | 8 | 37 | 40 | 211 | 19 | 121 | 44 | 254 |
| Species total | 500 | 2 703 | 1 416 | 7 581 | 809 | 4 925 | 1 355 | 8 009 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | * | * | * | * | 0 | 0 | 0 | 0 |
| Conical trap | 0 | 0 | 0 | 0 | * | * | * | * |
| Drag | 0 | 0 | * | 1 | 0 | 0 | 7 | 8 |
| Species total | * | * | 1 | 1 | * | * | 7 | 8 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2002 (final) | | | | 2003 (preliminary) | | | |
|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | |
| | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| **Total Molluscs et Crustaceans** | **1 743** | **19 096** | **3 442** | **33 916** | **1 772** | **15 924** | **3 618** | **33 964** |
| **Sector total :** | **2 129** | **19 263** | **5 627** | **34 548** | **1 964** | **16 070** | **6 358** | **34 648** |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) | | 2003 (preliminary) | | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| | | June | Cumulative | June | Cumulative | |
| GROUNDFISH | | | | | | |
| Cod | Round | 0,893 | 0,894 | - | - | N/A |
| | Gutted, head on | 1,358 | 1,299 | 1,479 | 1,493 | 14,9 |
| Redfish | Round | 0,705 | 0,702 | 0,768 | 0,762 | 8,6 |
| Atlantic halibut | Round | 6,614 | 6,614 | - | - | N/A |
| | Gutted, head on | 5,923 | 5,861 | 6,398 | 6,427 | 9,7 |
| | Gutted, head off | - | 8,783 | 9,776 | 9,776 | 11,3 |
| American plaice | Round | 0,956 | 0,820 | 0,732 | 0,771 | -6,0 |
| Winter flounder | Round | 0,559 | 0,607 | 0,690 | 0,731 | 20,4 |
| Greenland halibut | Round | - | 2,205 | 0,880 | 0,880 | -60,1 |
| | Bled, partly gutted | 2,435 | 2,422 | 1,977 | 2,058 | -15,0 |
| White hake | Gutted, head on | 0,663 | 0,662 | 0,643 | 0,647 | -2,3 |
| Catfish | Gutted, head on | 0,521 | 0,497 | 0,441 | 0,441 | -11,3 |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,304 | 0,264 | 0,469 | 0,224 | -15,4 |
| Mackerel | Round | 0,513 | 0,513 | 0,514 | 0,514 | 0,2 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | 2,162 | 2,189 | 1,538 | 1,576 | -28,0 |
| Scallop | In shell | 0,992 | 0,992 | 0,962 | 0,935 | -5,7 |
| | Meat | 11,210 | 11,611 | 11,220 | 12,483 | 7,5 |
| Whelk | In shell | 0,833 | 0,814 | 0,976 | 0,969 | 19,0 |
| Lobster | Round | 13,984 | 13,892 | 12,384 | 13,076 | -5,9 |
| | Cooked in shell | - | - | 12,620 | 12,620 | N/A |
| Shrimp | Round | 1,304 | 1,321 | 1,286 | 1,334 | 1,0 |
| | Cooked in shell | 2,485 | 3,291 | - | 3,576 | 8,7 |
| Rock crab | Round | 0,703 | 0,700 | 0,633 | 0,622 | -11,1 |
| Snow crab | Round | 5,038 | 5,029 | 5,958 | 5,944 | 18,2 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

NORTH SHORE

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) June | 2002 (final) Cumulative | 2003 (preliminary) June | 2003 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Gutted, head on | 1,424 | 1,525 | 0,331 | 0,331 | -78,3 |
| Redfish | Round | - | - | 0,331 | 0,359 | N/A |
| Atlantic halibut | Round | 6,614 | 6,614 | - | - | N/A |
| | Gutted, head on | 6,512 | 6,509 | 6,765 | 6,894 | 5,9 |
| | Gutted, head off | - | 8,783 | 9,776 | 9,776 | 11,3 |
| American plaice | Round | - | - | 0,998 | 0,996 | N/A |
| Greenland halibut | Bled, partly gutted | 2,437 | 2,431 | 1,966 | 2,001 | -17,7 |
| Catfish | Gutted, head on | 0,661 | 0,661 | - | - | N/A |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,491 | 0,517 | 0,509 | 0,631 | 22,2 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | 2,162 | 2,189 | 1,538 | 1,572 | -28,2 |
| Scallop | In shell | 0,992 | 0,992 | 0,962 | 0,935 | -5,7 |
| | Meat | 9,356 | 9,382 | 9,916 | 9,918 | 5,7 |
| Whelk | In shell | 0,861 | 0,852 | 0,961 | 0,948 | 11,3 |
| Lobster | Round | 12,778 | 13,063 | 11,921 | 12,302 | -5,8 |
| Shrimp | Round | 1,318 | 1,450 | - | 2,088 | 44,0 |
| | Cooked in shell | - | 3,292 | - | 3,584 | 8,9 |
| Snow crab | Round | 4,924 | 4,921 | 5,872 | 5,927 | 20,4 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

GASPESIE

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) June | 2002 (final) Cumulative | 2003 (preliminary) June | 2003 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Round | 0,893 | 0,893 | - | - | N/A |
| | Gutted, head on | 1,402 | 1,311 | 1,574 | 1,574 | 20,1 |
| Redfish | Round | 0,609 | 0,607 | 0,643 | 0,644 | 6,1 |
| Atlantic halibut | Gutted, head on | 5,827 | 5,769 | 6,014 | 5,997 | 3,9 |
| American plaice | Round | 0,867 | 0,600 | 0,874 | 0,872 | 45,3 |
| Greenland halibut | Round | - | 2,205 | - | - | N/A |
| | Bled, partly gutted | 2,437 | 2,428 | 1,979 | 2,066 | -14,9 |
| White hake | Gutted, head on | 0,663 | 0,662 | 0,643 | 0,647 | -2,3 |
| Catfish | Gutted, head on | 0,360 | 0,351 | 0,441 | 0,441 | 25,8 |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,412 | 0,468 | 0,392 | 0,392 | -16,4 |
| Mackerel | Round | 0,672 | 0,672 | 0,482 | 0,482 | -28,3 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | - | - | - | 2,094 | N/A |
| Scallop | Meat | 15,579 | 15,519 | 14,283 | 14,875 | -4,1 |
| Whelk | In shell | 0,671 | 0,655 | 1,128 | 1,099 | 67,7 |
| Lobster | Round | 13,839 | 13,419 | 13,240 | 13,846 | 3,2 |
| | Cooked in shell | - | - | 12,620 | 12,620 | N/A |
| Shrimp | Round | 1,303 | 1,314 | 1,323 | 1,333 | 1,5 |
| | Cooked in shell | 2,485 | 3,283 | - | - | N/A |
| Rock crab | Round | 0,912 | 0,914 | 0,670 | 0,668 | -26,9 |
| Snow crab | Round | 5,067 | 5,065 | 5,956 | 5,960 | 17,7 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

MAGDALEN ISLANDS

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2002 (final) June | 2002 (final) Cumulative | 2003 (preliminary) June | 2003 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Gutted, head on | 1,124 | 1,203 | 1,536 | 1,533 | 27,4 |
| Redfish | Round | 0,775 | 0,775 | 0,786 | 0,786 | 1,5 |
| Atlantic halibut | Gutted, head on | 7,757 | 7,757 | 6,614 | 6,614 | -14,7 |
| American plaice | Round | 0,968 | 0,900 | 0,022 | 0,025 | -97,3 |
| Winter flounder | Round | 0,559 | 0,607 | 0,688 | 0,728 | 20,0 |
| Greenland halibut | Bled, partly gutted | - | - | 1,954 | 1,954 | N/A |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | - | 0,213 | - | 0,179 | -15,8 |
| Mackerel | Round | 0,331 | 0,331 | 0,882 | 0,882 | 166,7 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Scallop | Meat | 15,314 | 15,128 | 16,141 | 15,655 | 3,5 |
| Whelk | In shell | 0,661 | 0,661 | - | - | N/A |
| Lobster | Round | 14,068 | 14,123 | 12,160 | 12,751 | -9,7 |
| Rock crab | Round | 0,587 | 0,576 | 0,602 | 0,590 | 2,4 |
| Snow crab | Round | 5,403 | 5,355 | 6,087 | 5,911 | 10,4 |